



**ALWAYS IN STOCK
BEST PRICE GUARANTEE**

SAFETY JOGGER

WORKS



**ENGINEERED
IN EUROPE**

**HEAD-TO-TOE
PROTECTION**
2023
NEW ARRIVAL

INDUSTRIAL PROFESSIONAL TACTICAL TIGER GRIP

LEAFLET
Worldwide 2023

**SHOWROOM.SAFETYJOGGER.COM
WWW.SAFETYJOGGER.COM**

LESS WASTE. MORE SAFETY.

made from
recycled
materials



Our most responsible safety shoe

ORDER ONLINE | order.safetyjogger.com

**SAFETY
JOGGER**
INDUSTRIAL

INDUSTRIAL

ECO-FRIENDLY COLLECTION



MORRIS **S1P**

SRC ESD

Sole	Phylon + natural rubber
Toecap	Nano carbon
Midssole	Puncture resistant lightweight
Lining	Recycle black mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

ECONILA **S1 LOW**

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midssole	N/A
Lining	Recycled breathable mesh
Footbed	SJ Foam
Category	S1 / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

ECOLOBI **S1P LOW TLS**

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midssole	Anti-puncture textile plate
Lining	Recycled breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

ECOFITZ **S1P LOW**

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Recycled breathable mesh
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

ECODESERT **S1P MID**

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Recycled breathable mesh
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



DARE TO GO GREEN





ABSOLUTE S1P

SRC ESD

Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midsole	Puncture resistant lightweight
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



LIGERO S1P

SRC ESD

Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midsole	Puncture resistant lightweight
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

LIGERO2 S1P MID TLS

SRC ESD

Sole	BASF PU
Toecap	Nano carbon
Midsole	Puncture resistant aramid
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

LIGERO2 S1P LOW

SRC ESD

Sole	BASF PU
Toecap	Nano carbon
Midsole	Puncture resistant aramid
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

LOBI S1P LOW TLS

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

ALTO TLS

SRC ESD

Sole	Phylon/Rubber
Toecap	PC wide toecap
Midsole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	JSAA(100J) /SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

AAK S1P LOW

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5




NEW

AZUMA

SRC ESD

Sole	Phylon/Rubber
Toecap	PC wide toecap
Midsole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	JSAA(100J) /SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



Extremely light

LIGHTEST SAFETY SHOE ON THE MARKET

You will have one of the lightest safety shoes on the market.

Lightweight collection is the ideal shoe for a hybrid workplace



NEW

MILOS S1P MID

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midssole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

MILOS S1P LOW

SRC ESD



BLK

Sole	Phylon/Rubber
Toecap	Composite
Midssole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

PACCO S3 LOW TLS

SRC ESD



BLK

Sole	Phylon/Rubber
Toecap	Composite
Midssole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

PACCO S1P LOW

SRC ESD



WHT

Sole	Phylon/Rubber
Toecap	Composite
Midssole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

TANA P1

SRC ESD



BLK



Sole	Phylon/Rubber
Toecap	PC wide toecap
Midssole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	JSAA(100J) /SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

HIKING COLLECTION



X2020P31 S3
X200031 S3

SRC

Sole	BASF PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0 EU 37-47 • UK 4-12 • US 4.5-13 KOR 24-31 • JPN 23.0-31.0



JUMPER31 S3
CLIMBER31 S3

SRC

Sole	BASF PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



GOBI S1P

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-46 • UK 3-11 • US 3-12 KOR 23-30 • JPN 21.5-30.0



DESERT S1P

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



DAKAR S3

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



SAHARA S3

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



RUSH S3

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



RUSH S3

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh Nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



How it works



Press in the dial



Turn clockwise to tighten



Pull up for quick release

Safety with a twist



CADOR **S3** LOW TLS

Benefits of the TLS closing

Fast, effective and time efficient

Easy to close with one hand

Uniform pressure distribution

Easy adjustable for a precision fit

Retains tension

Prevents from tripping and entanglement

Extremely strong, durable and hard wearing



SPORTS COLLECTION



4



CADOR **S1P** MID

SRC ESD

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S1P / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



BLU

CADOR **S1P**

SRC ESD

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S1P / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



CADOR **S3** MID TLS

SRC ESD

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S3 / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



TLS

CADOR **S3** LOW TLS

SRC ESD

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S3 / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



CADOR **S3** MID

SRC ESD

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S3 / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



CADOR **S3** LOW

SRC ESD

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S3 / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



CADOR **S1P** MID TLS

SRC ESD

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S1P / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



TLS

CADOR **S1P** LOW TLS

SRC ESD

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S1P / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5





CADOR S1P SANDAL SRC ESD

Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Breathable mesh
 Footbed SJ Foam
 Category S1P / ESD SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



FLOW S1P SANDAL TLS SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Breathable mesh
 Footbed SJ Foam
 Category S1P / ESD SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



FLOW S1P MID TLS SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Breathable mesh
 Footbed SJ Foam
 Category S1P / ESD SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



FLOW S1P LOW TLS SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Breathable mesh
 Footbed SJ Foam
 Category S1P / ESD SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



FLOW S3 MID TLS SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Breathable mesh
 Footbed SJ Foam
 Category S3 / ESD SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



FLOW S3 LOW TLS SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Breathable mesh
 Footbed SJ Foam
 Category S3 / ESD SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



FLOW S3 MID SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Breathable mesh
 Footbed SJ Foam
 Category S3 / ESD SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



FLOW S3 LOW SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Breathable mesh
 Footbed SJ Foam
 Category S3 / ESD SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



FLOW S1P LOW SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Breathable mesh
 Footbed SJ Foam
 Category S1P / ESD SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



FITZ S1P SRC

Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S1P / SRC
 Size Range EU 37-47 • UK 4-12 • US 4.5-13
 KOR 24-31 • JPN 23.0-31.0



BALTO S1 SRC

Sole Phylon/Rubber
 Toecap Steel
 Midsole -
 Lining Imbkmesh
 Footbed SJ Foam
 Category S1 / SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



YUKON S1P SRC

Sole PU/PU
 Toecap Steel
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S1P / SRC
 Size Range EU 35-47 • UK3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



SPEEDY S3 SRC HRO

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 25-31 • JPN 24.0-31.0



TURBO S3 SRC HRO

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



RAPTOR S1P SRC

Sole Phylon+Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax®
 Footbed SJ Foam
 Category S1P / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 23.5-31 • JPN 22.5-31.0



XPLORE S3 SRC HRO

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 25-31 • JPN 24.0-31.0





X430 S3

SRC ESD WR HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	S3 / SRC ESD WR HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



X330 S3

SRC ESD WR HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	S3 / SRC ESD WR HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 25-31.5 • JPN 24.0-31.5



ULTIMA S3

SRC ESD HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax® / Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC HRO ESD
Size Range	EU 37-48 • UK 4-13 • US 4.5-13.5 KOR 24-31.5 • JPN 23.0-31.5



NEW

MAGO S3 MID

EXTRA WIDE TOE CAP
SRC HRO

Sole	Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



NEW

ALTAR S3 HIGH

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh polyester
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



NEW

ALTAR S3 MID

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh polyester
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



NEW

BASALT S3

SRC ESD WR

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	3D Mesh+membrane
Footbed	SJ Foam
Category	S3 / SRC ESD WR
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



LAVA S3

SRC ESD WR

Sole	PU/PU
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax® / cosmo
Footbed	SJ Foam
Category	S3 / SRC ESD WR
Size Range	EU 42-47 • UK 8-12 • US 9-13 KOR 27-31 • JPN 26.5-31.0



DYNAMICA S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



WORKERPLUS S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh Nylon
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



POWER2 S3

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 25-31 • JPN 24.0-31.0



**DESERT-EH SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Cotton
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**GOBI EH LOW SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**X430-EH SB**

EH SRC WR HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	SB / SRC WR HRO EH
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5

**X330-EH SB**

EH SRC WR HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	SB / SRC WR HRO EH
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5

**JUMPER-EH SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**PLUTO-EH SB****MARS-EH SB**

EH SRC

Sole	PU/TPU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh Nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



018

019

DAKAR-EH SB

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh suede
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**X1110-EH SB****X1100N-EH SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**FLOW EH LOW SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**RENA-EH SB**

EH SRC HRO

Sole	Rubber
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC HRO EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



warm lining

X1100N79 EHWARM LINING
EH SRC CI

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Teddy
Footbed	Warm lining
Category	SB / SRC CI EH
Size Range	U 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

**BERLINEH OB**

EH SRC

Sole	PU/Rubber
Toecap	-
Midssole	-
Lining	Mesh suede
Footbed	SJ Foam
Category	OB / SRC EH
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 25.5-31 • JPN 25.0-31.0



AURA S3
EOS S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 22.5-31.0 EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



X1110 S3
X1100N S3

SRC

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



JACKMAN S3

EXTRA WIDE TOE CAP
SRC

Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5

BLK
DBN



MANAGER S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 25-31 • JPN 24.0-31.0



BESTFIT S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5

DBN
BLK



BESTZIP S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



BESTBOY EW S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5

NEW

BLK
SND



BESTRUN251 S3
BESTBOY251 S3

SRC HRO

Sole	BASF PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



BESTBOY S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



BESTRUN S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



BESTBOY231 S3

SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



BESTRUN231 S3

SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



LABOR S3

EXTRA WIDE TOE CAP
SRC HRO

Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



RENA S3

EXTRA WIDE TOE CAP
SRC HRO

Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0





SAFETYRUN S1P
SAFETYBOY S1P SRC

Sole	PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Footbed	SJECO EVA
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



SAFETYSTAR S3 SRC

Sole	PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Footbed	SJ ECO EVA
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



NEW **CONSTRUBOY S3 MID** SRC

Sole	BASF PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW **CONSTRUBOY S3 LOW** SRC

Sole	BASF PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

SNEAKERS COLLECTION



OBELIX S3 EXTRA WIDE TOE CAP UNISEX SRC ESD HRO

Sole	Rubber
Toecap	Aluminium
Midssole	Puncture resistant SJ FLEX
Lining	Nalo mesh
Footbed	SJ Foam
Category	S3 / SRC ESD HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW **CERRO S3 MID** EXTRA WIDE TOE CAP SRC ESD HRO

Sole	Rubber
Toecap	Aluminium
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh polyester
Footbed	SJ Foam
Category	S3 / SRC ESD HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



NEW **HAVEN S3** EXTRA WIDE TOE CAP SRC ESD HRO

Sole	Rubber
Toecap	Nano Carbon
Midssole	Nonwoven
Lining	Nalo mesh
Footbed	SJ Foam
Category	S3 / SRC ESD HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

LADIES COLLECTION



BOTANIC S1P SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



ORGANIC S1P SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



BESTGIRL S3 SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-42 • UK 3.5-8 • US 6-10.5 KOR 23.5-27 • JPN 22.5-26.5



CERES S3 SRC

Sole	Rubber
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-42 • UK 3.5-8 • US 6-10.5 KOR 23.5-27 • JPN 22.5-26.5



ROCKET81 S1P

SRC HRO

Sole	Phylon/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S1P / SRC HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 25-31.5 • JPN 24.0-31.5



BRIO S2

LIGHTWEIGHT SRC ESD

Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midssole	-
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S2 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



X1100N81 S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



X111081 S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



DOLCE81 S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 3-12 • US 3.5-13 KOR 23-31.5 • JPN 21.5-31.5



GUSTO81 S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



DOLCE S3

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



GUSTO S2

SRC

Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Mesh nylon
Footbed	SJ Foam
Category	S2 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



X0500 S2

SRC

Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Nylon
Footbed	SJ Foam
Category	S2 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



BESTLIGHT1

SRC

Sole	EVA/Rubber
Toecap	-
Midssole	-
Lining	EVA
Footbed	EVA
Category	SB / SRC
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 KOR 23.5-30 • JPN 22.5-30.0



POSEIDON S4

SRA

Sole	PVC
Toecap	Steel
Midssole	-
Lining	Textile
Footbed	-
Category	S4 / SRA
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



SAFETYCLOG PB

SRC

Standard	CE standard EN ISO 20346 PB SRC
Slip resistant	SRC
Anti-static	-
Toe cap	Composite 200 Joules
Material	EVA+Rubber outsole
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0





SONORA S1P SRC

Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh nylon
 Footbed SJ Foam
 Category S1P / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 23.5-31 • JPN 22.5-31.0



FORZA S1P SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining Coolmax®
 Footbed SJ Foam
 Category S1P / SRC ESD
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 25-31 • JPN 24.0-31.0



BESTBOOT S3 WARM LINING SRC CI

Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Fur
 Footbed Fur
 Category S3 / SRC CI
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 23.5-31 • JPN 22.5-31.0



BESTBOOT2 S3 SRC

Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 23.5-31 • JPN 22.5-31.0



BOREAS2 S3 SRC HRO

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining Cambrella
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 25-31 • JPN 24.0-31.0



ALASKAC S3 SRC

Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 23.5-31 • JPN 22.5-31.0



NORDIC S3 WARM LINING SRC CI

Sole PU/TPU
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining SJ Teddy
 Footbed Fur
 Category S3 / SRC CI
 Size Range EU 35-46 • UK 3-11 • US 3-12
 KOR 23-30 • JPN 21.5-30.0



ARAS S3 SRC CI

Sole PU/TPU
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining 3M Thinsulate
 Footbed SJ Foam
 Category S3 / SRC CI ESD
 Size Range EU 38-48 • UK 5-13 • US 5.5-13.5
 KOR 25-31.5 • JPN 24.0-31.5



BESTBOY252 S3 WARM LINING SRC HRO CI

Sole PU/Rubber
 Toecap Steel
 Midsole Steel
 Lining SJ Teddy
 Footbed Warm lining
 Category S3 / SRC HRO CI
 Size Range U 35-48 • UK 3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



X1100N79 EH WARM LINING EH SRC CI

Sole PU/PU
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining Teddy
 Footbed Warm lining
 Category SB / SRC CI EH
 Size Range U 35-48 • UK 3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



HERCULES S5 SRA

Sole PVC
 Toecap Steel
 Midsole Steel
 Category S5 / SRA
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 23.5-31 • JPN 22.5-31.0



GLOVES COLLECTION



PROSHIELD 4X42F

1 PACKS

- Ultra-high level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 15 gauge lining
- Anti cut level 5/F
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



PROCUT 4X42D

1 PACKS

- High level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 18 gauge lining
- DMF free
- Anti cut level 5/D
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



PROTECTOR 4X44C

BULK

- HPPE liner
- 1st layer in blue nitrile
- 2nd layer in black foamed nitrile
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



SHIELD 4X43C

1 PACKS
BULK

- HPPE liner
- Polyurethane grip
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



ALLFLEX 4131X

1 PACKS
BULK

- Nylon/spandex glove
- PU-nitrile micro foam coating
- DMF free
- Sizes 7, 8, 9, 10 and 11



CONSTRUCTO 3243X

1 PACKS
BULK

- Cotton/polyester glove
- Wrinkled latex grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11



SUPERPRO 4121X

BULK

- Polyester glove
- Black nitrile coating
- Oil resistant
- Sizes 8, 9, 10 and 11



MULTITASK 4131X

BULK

- Polyester glove
- PU coating
- Oil resistant
- Available in black and white
- Sizes 8, 9, 10 and 11

12

ACCESSORIES



NEW

SJ BAMBOO SOCK

2 PAIRS PER PACK
2 KINDS OF CARTON PACKAGE
SOLID SIZE 60PAIRS PER CARTON
MIXED SIZE 60PAIRS PER CARTON
3 SIZES IN 1

Material 77% bamboo fiber - 3% polyamide fiber
3% spandex - 17% polyester

Sizes EU 38/40 - 41/43 - 44/46 - 47/48
UK 5/7 - 7.5/9 - 10/11 - 12/13
US 5.5/7.5 - 8/10 - 10.5/12 - 13/13.5
CM 24/25.5 - 26/27 - 28/30 - 31/31.5



SJ SOCK2

3 PACKS
150 PAIRS PER CARTON
4 SIZES IN 1

Material 75% cotton - 23% polyester - 2% elastic

Sizes EU 39/42 - 43/47
UK 6/8 - 9/12
US 6.5/9 - 10/13
CM 25.5/27 - 28/31

SJCOMFORT 48 PAIRS PER SIZE/CARTON



Specifications Extra comfortable heel support
Ultra high ergonomic comfort
Air breathability technology
Arch support
Coolmax®

Sizes EU 36/38 - 39/41 - 42/44 - 45/47
UK 3.5/5 - 6/7 - 8/10 - 10.5/12
US 4/5.5 - 6.5/7.5 - 9/10.5 - 11.5/13
CM 23.5/25 - 25.5/26 - 27/28.5 - 29.5/31



SJ JACKET

Material Nylon

Sizes XL



GLOVES | 120 pairs in export carton per size, per model.
SJ SOCK2 | single package per 3 pairs - 150 pairs per carton.
SJCOMFORT | 48 pairs per carton.



**SAFETY
JOGGER**
TACTICAL

ALLROUND TACTICAL BOOTS

ENGINEERED
IN EUROPE

ORDER ONLINE | order.safetyjogger.com



SECURITY COLLECTION



DRAGON **S3**

SRC ESD

Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 23-31 • JPN 21.5-31.0



KOMODO **S3**

SRC ESD

Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 23-31 • JPN 21.5-31.0

13

LAW ENFORCEMENT COLLECTION



SHARK **S3**

SRC ESD WR

Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh + unbranded waterproof membrane
Footbed	SJ Foam
Category	S3/SRC ESD WR
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 23-31 • JPN 21.5-31.0



TROOPER **S3**

SRC WR HRO

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ Flex
Lining	Coolmax® + unbranded waterproof membrane
Footbed	SJ Foam
Category	S3 / SRC WR HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



TACTIC **OB**

SRA FO HRO

Sole	Rubber
Toecap	-
Midsole	-
Lining	Breathable technomesh
Footbed	SJ Foam
Category	OB / SRA FO HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



DUNE **OB**

SRA FO HRO

Sole	Rubber
Toecap	-
Midsole	-
Lining	Mesh Nylon
Footbed	SJ Foam
Category	OB / SRA FO HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 25-31.5 • JPN 24.0-31.5



SAFETY JOGGER

PROFESSIONAL



just feels like
DANCING



BESTNURSE

Flexible and comfortable
slip-on sneaker

CHAMP 02

Contemporary comfortable
work sneaker



just feels like
DANCING

SLOAN 01

Fashionable sneaker look, reliable
comfort and protection



just feels like
DANCING

ELIS 02

Breathable work sneaker that
offers a **wider fit**



just feels like
DANCING

CLOGS COLLECTION



SMOOTH OB SRC ESD

Standard CE standard EN ISO 20347 OB SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material EVA + rubber outsole
 Maintenance Not autoclavable, Washable at 30°C
 Chemically and UV sterilisable
 ca. 240 gr. per shoe
 Weight EU 36-46 • UK 3.5-11 • US 4-12
 Size Range KOR 23.5-30 • JPN 22.5-30.0



SONIC OB SRC ESD

Standard CE standard EN ISO 20347 OB SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material EVA
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 ca. 150 gr. per shoe
 Weight EU 35/36-45/46 • UK 3/3.5-10.5/11
 Size Range US 3/4-11.5/12 • KOR 23/23.5-29.5/30
 JPN 21.5/22.5-29.0/30.0



OXYCLOG OB SRA ESD

Standard CE standard EN ISO 20347 OB SRA ESD
 Slip resistant SRA
 Anti-static ESD
 Material TPE (thermoplastic elastomer)
 Footbed N/A
 Maintenance Autoclavable at 135°C Washable at 90°C
 Chemically and UV sterilisable
 ca. 240 gr. per shoe
 Weight EU 35/36-45/46 • UK 3/3.5-10.5/11
 Size Range US 3/4-11.5/12 • KOR 23/23.5-29.5/30
 JPN 21.5/22.5-29.0/30.0



OXYVA 01 SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material EVA
 Footbed SJ Foam
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 ca. 200 gr. per shoe
 Weight EU 35/36-45/46 • UK 3/3.5-10.5/11
 Size Range US 3/4-11.5/12 • KOR 23/23.5-29.5/30
 JPN 21.5/22.5-29.0/30.0



OXYSAFE PB SRC ESD

Standard CE standard EN ISO 20346 PB SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Safety toe cap Composite 100 Jules
 Material EVA
 Footbed SJ Foam
 Maintenance Not autoclavable, Washable at 30°C
 Chemically and UV sterilisable
 ca. 280 gr. per shoe
 Weight EU 35/36-45/46 • UK 3/3.5-10.5/11
 Size Range US 3/4-11.5/12 • KOR 23/23.5-29.5/30
 JPN 21.5/22.5-29.0/30.0



BESTLIGHT 1 OB SRC

Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Material EVA + rubber outsole
 Footbed SJ Foam
 Safety toe cap -
 Maintenance Not autoclavable, Washable at 30°C
 Chemically and UV sterilisable
 ca. 150 gr. per shoe
 Weight EU 36-46 • UK 3.5-11 • US 4-12
 Size Range KOR 23.5-30 • JPN 22.5-30.0



BESTCLOG OB SRC

Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Material EVA+Rubber outsole
 Footbed SJ Foam
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 ca. 250 gr. per shoe
 Weight EU 35-47 • UK 3-12 • US 3-13
 Size Range KOR 23-31 • JPN 21.5-31.0



BESTCLOG OB SRC

Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Material EVA+Rubber outsole
 Footbed SJ Foam
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 ca. 250 gr. per shoe
 Weight EU 35-47 • UK 3-12 • US 3-13
 Size Range KOR 23-31 • JPN 21.5-31.0



MOTION COLLECTION

COOLMAX



EVAN 01 SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Footbed Memory foam
 Weight ca. 320 gr. per shoe
 Size Range EU 39-46 • UK 6-11 • US 6.5-12
 KOR 25.5-30 • JPN 25.0-30.0



EVA 01 SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Footbed Memory foam
 Weight ca. 240 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 23-27 • JPN 21.5-26.5



REMY OB SRC ESD

Standard CE standard EN ISO 20347 OB SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Footbed Memory foam
 Weight ca. 260 gr. per shoe
 Size Range EU 39-46 • UK 6-11 • US 6.5-12
 KOR 25.5-30 • JPN 25.0-30.0



ROY 01 SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Footbed Memory foam
 Weight ca. 280 gr. per shoe
 Size Range EU 39-46 • UK 6-11 • US 6.5-12
 KOR 25.5-30 • JPN 25.0-30.0



DUBLIN 02 SRC

Standard CE standard EN ISO 20347 02 SRC
 Slip resistant SRC
 Anti-static Y
 Material Nappa Leather+PU/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 404 gr. per shoe
 Size Range EU 39-47 • UK 6-12 • US 6.5-13
 KOR 25.5-31 • JPN 25.0-31.0



BERLIN 02 SRC

Standard CE standard EN ISO 20347 02 SRC
 Slip resistant SRC
 Anti-static Y
 Material Nappa Leather+PU/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 450 gr. per shoe
 Size Range EU 39-47 • UK 6-12 • US 6.5-13
 KOR 25.5-31 • JPN 25.0-31.0



JULIA 0B SRC

Standard CE standard EN ISO 20347 0B SRC
 Slip resistant SRC
 Anti-static -
 Material Synthetic leather+PU/Rubber
 Lining Coolmax®
 Footbed SJ Foam
 Weight ca. 190 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 23-27 • JPN 21.5-26.5



NEW



JULIA 2 0B SRC

Standard CE standard EN ISO 20347 0B SRC
 Slip resistant SRC
 Anti-static -
 Material Synthetic leather+PU/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 235 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 23-27 • JPN 21.5-26.5



WHT



JULINE 0B SRC

Standard CE standard EN ISO 20347 0B SRC
 Slip resistant SRC
 Anti-static -
 Material Synthetic leather+Rubber
 Lining Coolmax®
 Footbed Not removable PU
 Weight ca. 250 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 23-27 • JPN 21.5-26.5



COLETTE 01 SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather+EVA/Rubber
 Lining Coolmax®
 Footbed Removable
 Weight ca. 220 gr. per shoe
 Size Range EU 35-44 • UK 3-9.5 • US 3-10.5
 KOR 23-28.5 • JPN 21.5-28.0



NEW

SUN 0B SLP SRC ESD

Standard CE standard EN ISO 20347 0B SRC
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather+PU/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 192 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



EVELYN 01 SRC ESD

Standard CE standard EN ISO 20347 01 SRC
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material 3D Mesh+Phylon/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 195 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



WHT



LBL

WHT



NEW

ELIS 02 LOW SRC ESD

Standard CE standard EN ISO 20347 02 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining 3D Mesh
 Footbed SJ Foam
 Weight ca. 220 gr. per shoe
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



NEW

ELIS 02 LOW SRC ESD

Standard CE standard EN ISO 20347 02 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining 3D Mesh
 Footbed SJ Foam
 Weight ca. 220 gr. per shoe
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



NEW

EDEN 01 LOW SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining 3D Mesh
 Footbed SJ Foam
 Weight ca. 220 gr. per shoe
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



SOPHIE 01 SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 217 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



WHT

FLR

FUC



ALIZEE 0B SRC ESD

Standard CE standard EN ISO 20347 0B SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 205 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



ELIANE 01 SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 236 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



LBL

FUC



WHT

LBL

FUC



WHT



LBL

MUG



MUL

BLK

DANY OB

SRC ESD

Standard CE standard EN ISO 20347 OB SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 216 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



WHT



FUC

LBL

CARINNE OB

SRC ESD

Standard CE standard EN ISO 20347 OB SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 247 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



NILDA O1

SRC ESD



BLK



WHT

Standard CE standard EN ISO 20347 O1 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 215 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



WHT



LBL

CAMILLE O1

SRC ESD

Standard CE standard EN ISO 20347 O1 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 230 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



LINA OB

SRC ESD



WHT



LBL

MUL

Standard CE standard EN ISO 20347 OB SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 217 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



SPORTS STYLE COLLECTION



FUC

NEW

SLOAN O1 LOW

SRC ESD

Standard EN ISO 20347:2012 - O1 SRC, ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Textile/Synthetic+EVA/Rubber
 Lining Textile
 Footbed SJ Foam
 Weight ca. 225 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 23-27 • JPN 21.5-26.5



BLU

DOMINIQUE O1

SRC ESD



BLK

Standard CE standard EN ISO 20347 O1 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Leather+PU/Rubber
 Lining 3D Mesh
 Footbed SJ Foam
 Weight ca. 410 gr. per shoe
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



WHT



BLK

CHAMP O2 LOW

SRC ESD

Standard EN ISO 20347:2012 - O2 SRC, ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Synthetic+EVA/Rubber
 Lining Textile
 Footbed SJ Foam
 Weight ca. 350 gr. per shoe
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 23-31 • JPN 21.5-31.0



JAMES OB

SRA



BLK



LGR

NAV

Standard CE standard EN ISO 20347 OB SRA
 Slip resistant SRA
 Anti-static -
 Material 3D mesh+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 310 gr. per shoe
 Size Range EU 39-47 • UK 6-12 • US 6.5-13
 KOR 25.5-31 • JPN 25.0-31.0



FLX



WHT

NAV

MAUD OB

SRA

Standard CE standard EN ISO 20347 OB SRA
 Slip resistant SRA
 Anti-static -
 Material 3D mesh+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 310 gr. per shoe
 Size Range EU 36-42 • UK 3.5-8 • US 4-9
 KOR 23.5-27 • JPN 22.5-26.5



KAYLA O2

SRC ESD



BLK

Standard CE standard EN ISO 20347 O2 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material Nappa Leather+EVA/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 280 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 23-27 • JPN 21.5-26.5



BLK



BLU

DGR

WHT

KASSIE O1

SRC

Standard CE standard EN ISO 20347 O1 SRC
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Material 3D Mesh+Phylon/Rubber
 Lining Mesh
 Footbed SJ Foam
 Weight ca. 225 gr. per shoe
 Size Range EU 35-48 • UK 3-13 • US 3-13.5
 KOR 23-31.5 • JPN 21.5-31.5



ROMAN O1

SRC ESD



BLK

Standard CE standard EN ISO 20347 O1 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather+EVA/Rubber
 Lining Coolmax®
 Footbed Removable, memory foam
 Weight ca. 250 gr. per shoe
 Size Range EU 40-47 • UK 7-12 • US 7.5-13
 KOR 26-31 • JPN 25.5-31.0



LPK



BLK

PATRICIA O1

SRC ESD

Standard CE standard EN ISO 20347 O1 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather+EVA/Rubber
 Lining Coolmax®
 Footbed Removable, memory foam
 Weight ca. 250 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 23-27 • JPN 21.5-26.5



MOVE UP COLLECTION



NEW

HESTIA 01

SRC ESD



WHT

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa action Leather+Phylon/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 265 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



BLK



WHT

LBL

LISBETH 02

SRC ESD

Standard	CE standard EN ISO 20347 02 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 233 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



SHEILA 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 229 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



SAMANTHA 0B

SRC ESD



BLK



WHT

LIC

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 239 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5

LITEWALK COLLECTION



LAUREN 0B

Standard	EN ISO 20347 0B
Slip resistant	N/A
Anti-static	-
Material	Mesh+EVA
Lining	Coolmax®
Footbed	Memory foam
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5



WHT



BLK

NEW

BESTNURSE 0B

Standard	EN ISO 20347 0B
Slip resistant	N/A
Anti-static	N/A
Material	Mesh+Synthetic Leather+EVA/Rubber
Lining	Textile
Footbed	Memory foam
Weight	ca. 210 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5



WHT

ACCESSORIES

OXYFOAM

PER 24 PAIRS



Specifications	Maximum cushioning Reduces muscle, foot, knee and back pain ESD standard ensures the dissipation of electrostatic charges 3 sizes in 1: adjustable to every foot Coolmax®
Size Range	3 sizes in 1, adjustable to every foot: 36/37/38 and 39/40/41

SJ PRODUCT ICONS



WATER RESISTANT UPPERS



BREATHABLE UPPER



OXYGRIP



AUTOCLAVABLE 135°C



EXCLUSIVE VEGAN LORICA



SLIP RESISTANT OUTSOLE



ANTI STATIC SHOE



NON-MARKING OUTSOLE



ANTI CUT



SHOES FOR CREWS



SAFETY TOE CAP



WASHABLE 90°C



METALFREE



ANTIBACTERIAL



100% VEGAN



REMOVABLE INSOLE



WATERPROOF



MEMORY FOAM



ANATOMICALLY SHAPED FOOTBED



DGUV



PUNCTURE RESISTANT



WASHABLE 30°C



HEAT INSULATED



LIGHT WEIGHT



SYMPATEX LINING



OIL & FUEL RESISTANT OUTSOLE



WARM LINING



EXTRA WIDE



INSTANT DRY



3-FIT-SYSTEM



HEEL ENERGY ABSORPTION



SUPER BREATHABLE



COLD INSULATED



HEAT RESISTANT OUTSOLE



COOLMAX LINING



ELECTRICAL HAZARD PROTECTION



STRETCH



CHEMICAL AND UV STERILIZABLE



LEATHER



HACCP HAZARD ANALYSIS AND CRITICAL CONTROL POINT



CE NORM



SOFT IMPACT FOAM INSOLE



ELECTROSTATIC DISCHARGE



DMF FREE



ENGINEERED
IN EUROPE

HEARING PROTECTION COLLECTION



NEW

ARUSHA

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2003

200prs/Box
2000prs=10Box/Carton



NEW

ARUSHA CORDED

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2003

100prs/Box
1000prs=10Box/Carton



NEW

ETOSHA I

Shell	Polyethylene
Headband	Polyethylene
Cushions	PVC
Foam	Polyester
Size range	EU UNI
Norms	EN 352-1:2003



NEW

ETOSHA II

Shell	ABS
Headband	Steel wire + PVC
Cushions	PVC
Foam	Polyethylene
Size range	EU UNI
Norms	EN 352-1:2003

19

HEAD PROTECTION COLLECTION



NEW

KANHA L CHINSTRAP

Shell	HDPE
Headband	Polyethylene
Liner strip	Textile
Ratchet	Polyethylene
Sweat absorber	Microfibre
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012



NEW

KANHA S CHINSTRAP

Shell	HDPE
Headband	Polyethylene
Liner strip	Polyethylene
Ratchet	N/A
Sweat absorber	Microfibre
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012

RESPIRATORY MASKS COLLECTION



STORA P2

Headband	Textile
Body	Polyester+non-woven fabric +melt-blown fabric
Valve	N/A
Sealing	N/A
Lock	Polyethylene
Size range	EN UNI
Sample weight	0,011 kg
Norms	BS EN 149:2001+A1:2009

200pcs=10box/Carton
10pcs of masks in a polybag
2 polybag / box



STORA V P2

Headband	Textile
Body	Polyester+non-woven fabric +melt-blown fabric
Valve	Polyamide
Sealing	N/A
Lock	Polyethylene
Size range	EN UNI
Sample weight	0,014 kg
Norms	BS EN 149:2001+A1:2009

100pcs=10box/Carton
10 masks in a polybag
1 polybag / box

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW YOHO



Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate +TPR
Nose Pads	TPR
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW YOHO SUN SPECTACLE



Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate + TPR
Nose Pads	TPR
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF5-Optical Filter 5-2,5, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW TSAVO



Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate +TPR
Removable Gasket	Nylon + EVA
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW TSAVO SUN



Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate +TPR
Removable Gasket	Nylon + EVA
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF5-Optical Filter 5-2,5, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW VIRUNGA



Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW VIRUNGA COVER



Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Norms	EN 166:2001

60pcs=6box/Carton
Pack individual polybag 10Pcs/Box

NEW SAREK




Headband	Elastic Nylon
Lenses	Polycarbonate
Frame	TPR
Temples	N/A
Safety standard	*F-Impact with a small object travelling at 45 meters per second, B-Impact with a small object travelling at 120 meters per second, *OF2-Optical Filter 2-1,2
Size range	EU UNI
Norms	EN 166:2001



SAFETY JOGGER

TIGER GRIP



ORDER ONLINE | order.safetyjogger.com

SAFETY JOGGER
TIGER GRIP

TIGER GRIP

OCCASIONAL SAFETY COLLECTION



VISITOR

Safety cap overshoe



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-38-UK2-5-US2-5.5-CM22-24 M- EU39-43-UK6-9-US6.5-10-CM25-28 XL- EU44-48-UK10-13-US10.5-13.5-CM28.5-33+

VISITORMF

Non magnetic safety cap overshoe



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Composite
Material	Rubber + nylon rivets metal free
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-38-UK2-5-US2-5.5-CM22-24 M- EU39-43-UK6-9-US6.5-10-CM25-28 XL- EU44-48-UK10-13-US10.5-13.5-CM28.5-33+



VISITORP

Anti-slip overshoe with safety cap



Standard	CE standard EN ISO 12378 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-37-UK2-4-US2-4.5-CM22-23 M- EU38-42-UK5-8-US5.5-9-CM24-27 L- EU43-45-UK9-10.5-US10-11.5-CM28-29.5+ XL- EU46-48-UK11-13-US12-13.5-CM30-33+

VISITORI

Anti slip overshoe with safety cap and anti-puncture sole



Standard	CE standard EN ISO 12378 / EN ISO 12568 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Midssole	Steel
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-37-UK2-4-US2-4.5-CM22-23 M- EU38-42-UK5-8-US5.5-9-CM24-27 L- EU43-45-UK9-10.5-US10-11.5-CM28-29.5+ XL- EU46-48-UK11-13-US12-13.5-CM30-33+



VISITORC

Safety cap overshoe with two way strap



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-38-UK2-5-US2-5.5-CM22-24 M- EU39-43-UK6-9-US6.5-10-CM25-28 XL- EU44-48-UK10-13-US10.5-13.5-CM28.5-33+



WINTERGRIP

Ice and all surfaces overshoe



Interchangeable spike per order

Standard	CE standard EN ISO 20344 SATRA TM 144:2011
Slip resistant	Tiger-grip® SRC
Material	Rubber+spikes in steel
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	EU38-42·UK5-8·US5.5-9·CM24-27

CITYGRIP

Ice and snow traction overshoe



Standard	CE standard EN ISO 20344 SATRA TM 144:2011
Slip resistant	Tiger-grip® SRC
Material	Rubber+spikes in steel
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-38·UK2-5·US2-5.5·CM22-24 M- EU39-43·UK6-9·US6.5-10·CM25-28 XL- EU44-48·UK10-13·US10.5-13.5·CM28.5-33+

EASYGRIP

Anti-slip overshoe



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Material	100% Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-37·UK2-4·US2-4.5·CM22-23 M- EU38-42·UK5-8·US5.5-9·CM24-27 L- EU43-45·UK9-10.5·US10-11.5·CM28-29.5+ XL- EU46-48·UK11-13+·US12-13.5+·CM30-33+



EASYMAX

Anti-slip overshoe, special for safety and oversized shoes (boots, trekking, catering shoes)



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Material	100% Rubber
Outsole	Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-37·UK2-4·US2-4.5·CM22-24 M- EU38-40·UK5-7·US5.5-7.5·CM24-25.5 L- EU41-42·UK5-8·US8-9·CM26.5-27 XL- EU43-45·UK9-10.5·US10-11.5·CM28-29.5 XXL- EU46-48·UK11-13·US12-13.5·CM30-33+

TOTPROTEC

Anti-slip overshoe with safety cap



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Outsole	Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-37·UK2-4·US2-4.5·CM22-23 M- EU38-42·UK5-8·US5.5-9·CM24-27 L- EU43-45·UK9-10.5·US10-11.5·CM28-29.5+ XL- EU46-48·UK11-13·US12-13.5·CM30-33+



TOTPROTECP

Anti-slip over shoe with safety cap and anti puncture outsole



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Midssole	Kevlar+Steel
Outsole	Rubber+Steel
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-37·UK2-4·US2-4.5·CM22-23 M- EU38-42·UK5-8·US5.5-9·CM24-27 L- EU43-45·UK9-10.5·US10-11.5·CM28-29.5+ XL- EU46-48·UK11-13+·US12-13.5+·CM30-33+



JACKSGRIP

Antislip work clog with heel's dynamic hold system



Standard	CE standard EN ISO 20347:2012 / EN13287 / Oil resistance (FO)
Slip resistant	Tiger-grip® SRC
Material	EVA
Outsole	Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	EU 35-46 · UK 3-11 · US 3-12 · CM 23-30

AQUAGRIP

Professional antislip shoe built-in water drainage system



Standard	NF EN 113287
Slip resistant	Tiger-grip® SRC
Material	EVA
Outsole	Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	EU 35-46 · UK 3-11 · US 3-12 · CM 23-30

SKIPGRIP

Professional antislip flip-flop



Standard	NF EN 113287
Slip resistant	Tiger-grip® SRC
Material	Antifungal foam+waterproof cloth
Outsole	Rubber+triple density
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	EU 35-46 · UK 3-11 · US 3-12 · CM 23-30





Solutions for every workplace

INDUSTRIAL **PROFESSIONAL** **TACTICAL** **TIGER GRIP** **ADVENTURE**

**ENGINEERED
IN EUROPE**

WWW.SAFETYJOGGER.COM

Dino Safety Product Co.,Ltd.

96/41, Moo 6, Laharn, Bangbuathong Nonthaburi 11110,

Thailand

Email: admin@dinosafety.asia

Tel: 092-9632474